

Index

See Appendix A for Task Force rating tables.

- Abdominal aortic aneurysm, Ch 6
- Abortion
 - D incompatibility/isoimmunization, Ch 38
 - induced. See Induced abortion
- ABR (auditory brainstem response) test, Ch 35
- Absorptiometry, osteoporosis screening, Ch 46
- Abstinence, sexual, Ch 62
 - genital herpes simplex and, Ch 30
- Accidents. See Injuries
- Acquired immune deficiency syndrome (AIDS). See Human immunodeficiency virus
- Acyclovir, Ch 30
- Adolescent idiopathic scoliosis, Ch 47
- Adolescents and young adults
 - alcohol use, Ch 52
 - asymptomatic bacteriuria, Ch 31
 - blood pressure screening, Ch 3
 - cervical cancer, Ch 9
 - chlamydial infection, Ch 29
 - cholesterol levels, Ch 2
 - contraception, Ch 63
 - coronary heart disease, Ch 1
 - depression, Ch 49
 - genital herpes simplex, Ch 30
 - gonorrhea, Ch 27
 - hearing impairment, Ch 35
 - hemoglobinopathy screening, Ch 43
 - HIV infection, Ch 28, Ch 62
 - idiopathic scoliosis, Ch 47
 - illicit drug use, Ch 53
 - immunization recommendations, Ch 65, Ch 66
 - injury risk
 - family violence, Ch 51
 - household and recreational, Ch 58
 - motor vehicle, Ch 57
 - youth violence, Ch 59
 - iron deficiency anemia, Ch 22
 - nutritional needs, Ch 56
 - obesity, Ch 21
 - rubella, Ch 32
 - sexually transmitted diseases, Ch 62
 - skin cancer, Ch 12
 - smoking prevention, Ch 54
- suicide, Ch 49, Ch 50
- syphilis, Ch 26
- testicular cancer, Ch 13
- thyroid disease, Ch 20
- tuberculous infection, Ch 25
- unintended pregnancy, Ch 63
- violence prevention counseling, Ch 59
- visual impairment, Ch 33
- Affective disorder. See Depression
- AIDS (acquired immune deficiency syndrome), Ch 28. See also Human immunodeficiency virus
- Air bags, Ch 57
- Alcohol consumption, Ch 52
 - blood cholesterol, Ch 2
 - dental and periodontal disease, Ch 61
 - hypertension, Ch 3
 - injury risk
 - household and recreational, Ch 58
 - motor vehicle, Ch 57
 - youth violence, Ch 59
 - oral cancer, Ch 16
 - during pregnancy, Ch 52
 - suicide risk, Ch 50
 - tuberculous infection and, Ch 25
 - violence associated with, Ch 59
- Alcoholism, Ch 52
- Alcohol Use Disorders Identification Test (AUDIT), Ch 52
- Allen picture cards visual acuity test, Ch 33
 - fetoprotein. See Maternal serum
 - fetoprotein; Testicular cancer
- Alzheimer's disease, Ch 48
- Amantadine, for influenza A prophylaxis, Ch 66
- Amblyopia, Ch 33
- Amniocentesis
 - D incompatibility and, Ch 38
 - Down syndrome screening, Ch 41
 - hemoglobinopathy screening, Ch 43
 - neonatal complications, Ch 41, Ch 42
 - neural tube defects, Ch 42
 - phenylketonuria diagnosis, Ch 44
 - sickle cell disease, Ch 43
 - thalassemia screening, Ch 43
- Amsler grid, retinal detachment detection, Ch 33

- Anabolic steroid use, Ch 53
Anemia
 D incompatibility and, Ch 38
 iron deficiency. SeeIron deficiency anemia
 sickle cell, Ch 43
 thalassemia and, Ch 43
Anencephaly, Ch 42
Aneuploidy, Ch 41
Aneurysm, abdominal aortic. SeeAbdominal aortic aneurysm
Angiotensin II infusion test, preeclampsia and, Ch 37
Anti-HBc (hepatitis B core antigen antibody), Ch 24
Antiplatelet drug therapy
 for carotid artery stenosis, Ch 4
 for peripheral arterial disease, Ch 5
Anti-tobacco messages, Ch 54
Aortic aneurysm, abdominal. SeeAbdominal aortic aneurysm
Apolipoproteins, familial hypercholesterolemia and, Ch 2
Asphyxia, perinatal. SeePerinatal morbidity/mortality
Asphyxiation, prevention counseling for elderly persons, Ch 58
Aspiration of food, prevention counseling, Ch 58
Aspirin prophylaxis
 cerebrovascular disease, Ch 4
 colorectal cancer prevention, Ch 8
 myocardial infarction prevention, Ch 69
 in pregnancy, Ch 70
 vascular dementia, Ch 48
Asymptomatic bacteriuria, Ch 31
Asymptomatic carotid artery stenosis. SeeCarotid artery stenosis
Asymptomatic person, defined, Ch ii
Atherosclerosis. See alsoCardiovascular diseases
 carotid artery stenosis, Ch 4
 cholesterol screening, Ch 2
 coronary heart disease, Ch 1
 peripheral arterial disease, Ch 5
Atrial fibrillation
 cerebrovascular disease, Ch 4
 hyperthyroidism, Ch 20
ATV injuries, Ch 58
Audiotometry, Ch 35
AUDIT (Alcohol Use Disorders Identification Test), Ch 52
Auditory brainstem response testing, Ch 35
Auditory response cradle, Ch 35
Axial rotation deviations, Ch 47
AZT (zidovudine), Ch 28
Bacille Calmette-Guérin vaccine, Ch 25
Back belts, low back pain prevention, Ch 60
Back pain
 adolescent idiopathic scoliosis, Ch 47
 low, prevention counseling, Ch 60
Bacteriuria, asymptomatic, Ch 31
Barium enema, colorectal cancer screening, Ch 8
Barrier contraception, Ch 63
 chlamydial infection and, Ch 29
 genital herpes simplex and, Ch 30
 sexually transmitted disease and, Ch 62
Basal cell carcinoma, Ch 12
BCG (Bacille Calmette-Guérin) vaccine, Ch 25
Beck Depression Inventory, Ch 49
Behavioral testing, for infant hearing impairment, Ch 35
-carotene, oral cancer and, Ch 16
Bicycling injuries, prevention counseling, Ch 58
Binge drinking, Ch 52
Biochemical markers, bone turnover, Ch 46
Bioelectrical impedance, obesity screening, Ch 21
Birth, premature. SeePremature birth
Birth control. SeeContraceptive methods
Bladder cancer, Ch 17
Blindness. See alsoVisual impairment;
 Glaucoma
 diabetes mellitus, Ch 19
 gonococcal ophthalmia neonatorum, Ch 27
Blood pressure, elevated. SeeHypertension
Blood typing, for D incompatibility, Ch 38
Body mass index, Ch 21
Body weight/height tables, obesity screening, Ch 21
Bone mineral density
 osteoporosis screening, Ch 46
 thyroid replacement therapy and, Ch 20
Brainstem response testing, auditory, Ch 35
Breast cancer, Ch 7
 colorectal cancer and, Ch 8
 hormone therapy and, Ch 68
 obesity and, Ch 21
 ovarian cancer and, Ch 14
Breast examination, Ch 7
Breastfeeding, Ch 56
 HIV infection risk, Ch 28
 infant dental disease, Ch 61
 iron deficiency anemia, Ch 22
 ovarian cancer risk reduction, Ch 64
 postpartum rubella vaccination, Ch 32

- BSE (breast self-examination), Ch 7
Burden of suffering, Ch ii
Burns, prevention counseling, Ch 58
- Caesarean delivery. See Cesarean delivery
CAGE screening instrument, Ch 52
Calcium
 in healthy diet, Ch 56
 osteoporosis prophylaxis, Ch 46
 preeclampsia prophylaxis, Ch 37
Cancer. See also specific sites
 nutritional factors, Ch 56
Car seats, Ch 57
Carbohydrates, in healthy diet, Ch 56
Carcinoembryonic antigen. See Serum tumor markers
Cardiac disorders. See Cardiovascular diseases
Cardiotocography, Ch 39
Cardiovascular diseases. See also Coronary heart disease; Cholesterol, blood; Hypertension
 abdominal aortic aneurysm, Ch 6
 carotid artery stenosis, Ch 4
 diabetes mellitus, Ch 19
 elevated lead levels, Ch 23
 exercise-induced, Ch 55
 hypertension, Ch 3
 obesity, Ch 21
 peripheral arterial disease, Ch 5
 postmenopausal hormone prophylaxis, Ch 68
 syphilis, Ch 26
 thyroid disease, Ch 20
Carotid artery stenosis, Ch 4. See also Cardiovascular diseases; Cerebrovascular disease
Carotid bruit auscultation, Ch 4
Carotid duplex sonography, Ch 4
Case-control study, Ch ii
Cataracts, Ch 33
CBE (clinical breast examination), Ch 7
Ceftriaxone prophylaxis, Ch 67
Center for Epidemiologic Studies Depression Scale (CES-D), Ch 49
Cerebrovascular disease
 aspirin prophylaxis, Ch 69
 carotid artery stenosis, Ch 4
 dementia, Ch 48
 diabetes mellitus, Ch 19
 hypertension, Ch 3
 postmenopausal hormone prophylaxis, Ch 68
 tobacco use, Ch 54
Cervical bruit. See Carotid bruit auscultation
Cervical cancer, Ch 9
 human immunodeficiency virus, Ch 28
- obesity, Ch 21
 risk reduction, Ch 64
Cervical cap, Ch 63
 sexually transmitted disease risk reduction, Ch 62
Cervicography, Ch 9
Cesarean delivery
 fetal -thalassemia, Ch 43
 genital herpes simplex, Ch 30
 HIV infection, Ch 28
 intrapartum electronic fetal monitoring, Ch 39
 malpresentations, Ch 36
 maternal morbidity/mortality, Ch 30
 multiple gestation, Ch 36
 neural tube defects, Ch 42
 neonatal complications, Ch 30, Ch 39
 scalp blood sampling, Ch 39
CES-D (Center for Epidemiologic Studies Depression Scale), Ch 49
Chest x-ray
 lung cancer, Ch 11
 tuberculous infection, Ch 25
Chickenpox. See Varicella entries
Child abuse, Ch 51
Childbirth, fetal monitoring during, Ch 39
Children. See also Adolescents; Infants
 asymptomatic bacteriuria, Ch 31
 BCG vaccine, Ch 25
 child abuse, Ch 51
 cholesterol levels, Ch 2
 coronary heart disease, Ch 1
 dental disease, Ch 61
 depression, Ch 49
 development. See Growth and developmental patterns, in children
 Down syndrome. See Down syndrome
 growth. See Growth and developmental patterns, in children
 hearing impairment, Ch 35
 hemoglobinopathies, Ch 43
 hepatitis B, Ch 24
 HIV infection, Ch 28
 hypertension, Ch 3
 hypothyroidism, congenital, Ch 45
 illicit drug use, Ch 53
 immunization recommendations, Ch 65
 injury risk
 household and recreational, Ch 58
 motor vehicle, Ch 57
 iron deficiency anemia, Ch 22
 lead levels, Ch 23
 low birth weight. See Low birth weight
 neural tube defects, Ch 42
 nutritional needs, Ch 56
 obesity, Ch 21

- Children—continued
ophthalmia neonatorum. See *Ophthalmia neonatorum*
phenylketonuria, Ch 44
perinatal mortality. See *Perinatal morbidity/mortality*
prematurity. See *Premature birth*
scoliosis, Ch 47
sickle cell disease, Ch 43
skin cancer prevention, Ch 12
smoking prevention, Ch 54
testicular cancer, Ch 13
thyroid dysfunction, Ch 20
tuberculous infection, Ch 25
urinary tract abnormalities, Ch 31
visual impairment, Ch 33
violence. See *Child abuse*
Child safety seats and restraints, Ch 57
Chlamydial infection, Ch 29
gonorrhea and, Ch 27
prevention counseling, Ch 62
Chlamydial ophthalmia neonatorum. See under *Ophthalmia neonatorum*
Chlamydia trachomatis infection. See *Chlamydial infection*
Cholesterol, blood, Ch 2
carotid atherosclerosis, Ch 4
coronary heart disease and, Ch 1
obesity, Ch 21
peripheral arterial disease, Ch 5
postmenopausal hormone prophylaxis, Ch 68
thyroxine treatment, Ch 20
Chorionic villus sampling
D incompatibility, Ch 38
Down syndrome, Ch 41
versus amniocentesis, Ch 41
fetal morbidity/mortality, Ch 41
hemoglobinopathy screening, Ch 43
phenylketonuria diagnosis, Ch 44
sickle cell disease diagnosis, Ch 43
Chromosome anomalies. See *Down syndrome*
Cigarette smoking, Ch 54. See also *Tobacco use*
Clinical breast examination, Ch 7
Clinician, defined, Ch ii
Clock Drawing Test, Ch 48
Clonidine, smoking cessation aid, Ch 54
Cobb angle, adolescent idiopathic scoliosis and, Ch 47
Cocaine use, Ch 53. See also *Drug abuse*
Cognitive function, dementia and, Ch 48
Cohort study, Ch ii
Coitus interruptus, Ch 63
Colonoscopy, Ch 8
Colorectal cancer, Ch 8
 diet and, Ch 56
 obesity and, Ch 21
Color vision assessment, Ch 33
Colposcopy, Ch 9
Compliance, Ch iv
Computed tomography
 abdominal aortic aneurysm, Ch 6
 osteoporosis, Ch 46
 pancreatic cancer, Ch 15
Condom use
 contraceptive method, Ch 63. See also
 Barrier contraception
 sexually transmitted disease prevention, Ch 62
Conductive hearing loss, Ch 35
Confidentiality
 HIV infection testing, Ch 28
 illicit drug use testing, Ch 53
Conflict resolution, Ch 59
Congenital anomalies
 congenital hearing loss and, Ch 35
 diabetes mellitus and, Ch 19
 heart defects, Ch 1, Ch 41, Ch 44
 hearing loss, Ch 35
 folic acid/folate prophylaxis, Ch 42
 maternal serum α-fetoprotein, Ch 42
 neural tube defects, Ch 42
 transverse limb reduction, choriocytic
 villus sampling and, Ch 41
 ultrasonographic detection, Ch 36
Congenital hypothyroidism, Ch 45
Congenital malformation. See *Congenital anomalies*
Congenital rubella syndrome, Ch 32
Congenital syphilis, Ch 26
Conjunctivitis, neonatal. See *Ophthalmia neonatorum*
Contact tracing
 chlamydial infection, Ch 29
 gonorrhea, Ch 27
 hepatitis B, Ch 24
 HIV infection, Ch 28
 syphilis, Ch 26
 tuberculous infection, Ch 25
Contraceptive methods, Ch 63. See individual methods
 barrier. See *Barrier contraception*
 hormone preparations. See *Oral contraceptives*
Contraceptive sponge, Ch 62, Ch 63
Controlled trial, Ch ii
Coombs test, Ch 38
Coronary artery disease. See *Coronary heart disease*
Coronary heart disease, Ch 1
 alcohol and risk of, Ch 52
 cerebrovascular disease, Ch 4
 diabetes mellitus, Ch 19
 exercise benefits, Ch 55
 high blood cholesterol, Ch 2

- hypertension, Ch 3
nutritional factors, Ch 56
obesity, Ch 21
peripheral arterial disease, Ch 5
postmenopausal hormone prophylaxis, Ch 68
thyroxine replacement therapy, Ch 20
tobacco use, Ch 54
- Correctional institutions
chlamydial infection in, Ch 29
HIV infection in, Ch 28
rubella outbreaks in, Ch 32
- Corsets, low back pain prevention, Ch 60
- Cost/cost-effectiveness, of preventive services, Ch v
- abdominal aortic aneurysm, Ch 6
blood cholesterol, Ch 2
breast cancer, Ch 7
carotid artery stenosis, Ch 4
cervical cancer, Ch 9
chlamydial infection, Ch 29
colorectal cancer, Ch 8
congenital hypothyroidism, Ch 45
coronary heart disease, Ch 1
D immunoglobulin prophylaxis, Ch 38
gestational diabetes mellitus, Ch 19
hemoglobinopathies, Ch 43
hepatitis B, Ch 24
HIV infection, Ch 28
home uterine activity monitoring, Ch 40
immunization
adult, Ch 66
childhood, Ch 65
iron deficiency anemia, Ch 22
lead levels, Ch 23
lung cancer, Ch 11
obesity, Ch 21
ovarian cancer, Ch 14
pancreatic cancer, Ch 15
postmenopausal hormone prophylaxis, Ch 68
prenatal phenylketonuria screening, Ch 44
prostate cancer, Ch 10
rubella, Ch 32
skin cancer, Ch 12
syphilis, Ch 26
testicular cancer, Ch 13
thyroid disease, Ch 20
- Counseling interventions, Ch iv
aspirin prophylaxis
myocardial infarction, Ch 69
in pregnancy, Ch 70
- dementia, Ch 48
dental and periodontal disease, Ch 61
Down syndrome, Ch 41
exercise promotion, Ch 55
- genital herpes simplex, Ch 30
gynecologic cancer, Ch 64
hearing aid devices, Ch 35
hemoglobinopathies, Ch 43
hepatitis B, Ch 24
high blood cholesterol, Ch 2
HIV infection, Ch 28, Ch 62
household injury, Ch 58
hypertension, Ch 3
iron deficiency anemia, Ch 22
lead levels, Ch 23
low back pain, Ch 60
motor vehicle injury, Ch 57
neural tube defects, Ch 42
obesity, Ch 21
oral cancer, Ch 16
osteoporosis, Ch 46
ovarian cancer, Ch 64
pancreatic cancer, Ch 15
peripheral arterial disease, Ch 5
postmenopausal hormone prophylaxis, Ch 46, Ch 68
recreational injury, Ch 58
sexually transmitted disease, Ch 62
skin cancer, Ch 12
suicide risk, Ch 50
testicular cancer, Ch 13
tobacco use, Ch 54
unintended pregnancy, Ch 63
youth violence, Ch 59
- Cover test, Ch 33
“Crack” cocaine. See Drug abuse
- Cretinism, Ch 45
- Crib-o-gram, Ch 35
- CT. See Computed tomography
- Cystadenocarcinoma antigen. See Serum tumor markers
- Cystoscopy, bladder cancer and, Ch 17
- Cytology. See also Papanicolaou test
genital herpes simplex screening, Ch 30
- sputum, lung cancer and, Ch 11
urine, bladder cancer and, Ch 17
- D immunoglobulin prophylaxis, Ch 38
- D incompatibility, Ch 38
- Danazol, postcoital administration, Ch 63
- Delivery, premature. See Premature birth
- Dementia, Ch 48
- Dental disease
nutritional factors, Ch 56
oral cancer screening, Ch 16
prevention, Ch 61
- Depo-Provera, Ch 63
- Depot-medroxyprogesterone acetate, Ch 63
- Depression, Ch 49
dementia and, Ch 48

- Depression—continued
 hearing impairment, Ch 35
 low back pain risk, Ch 60
 postpartum, thyroid dysfunction and,
 Ch 20
 suicide risk, Ch 50
- DFA. SeeDirect fluorescent antibody
- Diabetes mellitus, Ch 19
 asymptomatic bacteriuria, Ch 31
 carotid artery stenosis, Ch 4
 coronary heart disease, Ch 1
 exercise benefits, Ch 55
 glaucoma, Ch 34
 neural tube defects, Ch 42
 obesity, Ch 21
 pancreatic cancer, Ch 15
 peripheral arterial disease, Ch 5
- Diagnostic and Statistical Manual of Mental Disorders (DSM-IV), Ch 49
- Diagnostic Interview Schedule, depression screening, Ch 49
- Diaphragm
 barrier contraceptive method, Ch 63
 sexually transmitted disease risk reduction, Ch 62
- Dietary factors. SeeDiet therapy; Nutrition
- Diet therapy. Seealso Nutrition; Weight control
 cholesterol reduction, Ch 2
 in diabetes mellitus, Ch 19
 in hypertension, Ch 3
 in obesity, Ch 21
 in phenylketonuria, Ch 44
- Digital rectal examination
 colorectal cancer, Ch 8
 prostate cancer, Ch 10
- Diphtheria
 adult immunization, Ch 66
 childhood immunization, Ch 65
- Diphtheria-pertussis-tetanus vaccine with acellular pertussis component (DPaT vaccine), Ch 65
 in childhood, Ch 65
 postexposure tetanus prophylaxis, Ch 67
- Diphtheria-tetanus vaccine, Ch 67
- Dipstick urinalysis
 asymptomatic bacteriuria, Ch 31
 bladder cancer, Ch 17
 chlamydial infection, Ch 29
 diabetes mellitus, Ch 19
 gonorrhea, Ch 27
 preeclampsia, Ch 37
- Dipyridamole/aspirin therapy, Ch 4
- Direct fluorescent antibody
 chlamydial infection screening, Ch 29
 genital herpes simplex screening, Ch 30
- Disc photography, glaucoma screening, Ch 34
- Distraction testing, infant hearing impairment, Ch 35
- DNA analysis
 fetal blood type, Ch 38
 hemoglobinopathy screening, Ch 43
 phenylketonuria prenatal diagnosis, Ch 44
- DNA hybridization tests
 chlamydial infection screening, Ch 29
 genital herpes simplex screening, Ch 30
 gonorrhea screening, Ch 27
- Domestic violence, Ch 51
- Doppler ultrasound. Seealso Ultrasonography
 ankle-arm pressure ratios, Ch 5
 intrapartum fetal monitoring, Ch 39
 transvaginal color-flow, ovarian cancer and, Ch 14
- Down syndrome, Ch 41
 thyroid dysfunction and, Ch 20
- DPaT vaccine. SeeDiphtheria-pertussis-tetanus vaccine
- DPT vaccine. SeeDiphtheria-pertussis-tetanus vaccine
- DRE. SeeDigital rectal examination
- Drowning, prevention counseling, Ch 58
- Drug abuse, Ch 53. Seealso Injection drug users
 injury risk
 household and recreational, Ch 58
 motor vehicle, Ch 57
 sexually transmitted disease risk, Ch 62
 suicide risk, Ch 50
 violence associated with, Ch 59
- Drug overdose. See also Drug abuse
 suicide, Ch 50
- DSM-IV (Diagnostic and Statistical Manual of Mental Disorders), Ch 49
- DT vaccine, Ch 67
- Dual energy x-ray absorptiometry (DXA), Ch 46
- Dual photon absorptiometry (DPA), Ch 46
- ECG. SeeElectrocardiography
- Eclampsia. See preeclampsia/eclampsia
- EDTA lead mobilization test, Ch 23
- Education. SeeCounseling interventions
- Effectiveness criteria, preventive services, Ch ii
- EIA. SeeEnzyme immunoassay
- Elder abuse, Ch 51
- Elderly persons
 abdominal aortic aneurysm, Ch 6
 abuse and neglect, Ch 51

- antihypertensive therapy, Ch 3
asymptomatic bacteruria, Ch 31
bladder cancer, Ch 17
breast cancer, Ch 7
carotid artery stenosis, Ch 4
cervical cancer, Ch 9
colorectal cancer, Ch 8
coronary heart disease, Ch 1
dementia, Ch 48
glaucoma, Ch 34
hearing impairment, Ch 35
high blood cholesterol, Ch 2
immunizations
 influenza A, Ch 66
 pneumococcal disease, Ch 66
injury prevention counseling, Ch 58
iron deficiency anemia, Ch 22
nutritional needs, Ch 56
oral cancer, Ch 16
pancreatic cancer, Ch 15
prostate cancer, Ch 10
suicide, Ch 50
thyroid disease, Ch 20
tuberculous infection, Ch 25
urinary tract infections, Ch 31
visual impairment, Ch 33
- Electrocardiography
 coronary artery disease, Ch 1
 intrapartum fetal monitoring, Ch 39
- Electronic monitoring, of fetal heart rate.
 See Intrapartum electronic fetal monitoring
- Electrophysiologic testing, infant hearing impairment, Ch 35
- Elevated lead levels, Ch 23
- Encephalocele, Ch 42
- Endocervical brush, Ch 9
- Endometrial cancer
 colorectal cancer and, Ch 8
 hormone therapy and, Ch 68
 obesity, Ch 21
 risk reduction, Ch 64
- Endometritis. See Pelvic inflammatory disease
- Endoscopy
 colorectal cancer, Ch 8
 pancreatic cancer, Ch 15
- Enzyme immunoassay (EIA)
 chlamydial infection, Ch 29
 genital herpes simplex, Ch 30
 gonorrhea, Ch 27
 HIV infection, Ch 28
 illicit drug use, Ch 53
 rubella susceptibility, Ch 32
- EOE (evoked otoacoustic emission) testing, Ch 35
- Erythrocyte protoporphyrin test
 elevated lead levels, Ch 23
 iron deficiency anemia, Ch 22
- Erythrocyte rosette test, Ch 38
- Erythroplakia, oral cancer and, Ch 16
- Estriol, unconjugated, Ch 41
- Estrogen. See also Estrogen replacement therapy
 coronary heart disease, Ch 2
 high blood cholesterol, Ch 2
 oral contraception, Ch 63
 postcoital administration, Ch 63
- Estrogen replacement therapy, Ch 68
 osteoporosis prophylaxis, Ch 46
- Ethylenediaminetetraacetic acid (EDTA), Ch 23
- Evoked otoacoustic emission testing, Ch 35
- Exercise, Ch 55
 adolescent idiopathic scoliosis, Ch 47
 counseling to promote, Ch 55
 diabetes mellitus, Ch 19
 falls prevention, Ch 58
 high blood cholesterol, Ch 2
 hypertension, Ch 3
 iron deficiency anemia, Ch 22
 low back pain prevention, Ch 60
 obesity, Ch 21
 osteoporosis, Ch 46
 peripheral arterial disease, Ch 5
- Falls, prevention, Ch 58
- Familial atypical mole and melanoma syndrome, Ch 12
- Familial combined hyperlipidemia, Ch 2
- Familial hypercholesterolemia, Ch 2
- Familial polyposis, colorectal cancer and, Ch 8
- Family planning clinics, Ch 63
- Family violence, Ch 51
- FAM-M syndrome, Ch 12
- Fat, in healthy diet, Ch 56
- FCH (familial combined hyperlipidemia), Ch 2
- Fecal occult blood test, Ch 8
- Ferritin, iron deficiency anemia screening and, Ch 22
- Fetal alcohol syndrome, Ch 52
- Fetal distress, Ch 39
- Fetal heart rate, Ch 39
- Fetal malformation. See Congenital anomalies
- Fetal monitoring, Ch 39
- Fetal morbidity/mortality. See also Perinatal morbidity/mortality
 amniocentesis, Ch 41, Ch 42
 chorionic villus sampling, Ch 41
 chronic hypertension, Ch 37
 congenital syphilis, Ch 26
 D incompatibility, Ch 38

- Fetal morbidity/mortality—continued
 hydrops
 preeclampsia/eclampsia, Ch 37
 -thalassemia, Ch 43
 hypoxia, Ch 39
 intrauterine growth retardation, Ch 36
 maternal bacteriuria, Ch 31
 maternal serum -fetoprotein, Ch 42
 preeclampsia, Ch 37
 Fetal scalp blood, intrapartum monitoring, Ch 39
 FH (familial hypercholesterolemia), Ch 2
 Fiber, in healthy diet, Ch 56
 Finger rub tests, hearing impairment, Ch 35
 Firearms
 unintentional injuries, Ch 58
 suicide risk, Ch 50
 violence and, Ch 59
 Fires, prevention counseling, Ch 58
 Flossing, dental, Ch 61
 Fluorescence polarization immunoassay, Ch 53
 Fluorescent treponemal antibody absorption (FTA-ABS), Ch 26
 Fluoridation, dental disease prevention, Ch 61
 Folic acid/folate prophylaxis, Ch 42
 Forward-bending test, Ch 47
 Fractures
 dietary calcium and, Ch 56
 falls prevention and, Ch 58
 osteoporosis, Ch 46
 postmenopausal hormone prophylaxis, Ch 68
 Free-field voice test, hearing impairment, Ch 35
 Free thyroxine index, Ch 20
 FTA-ABS (fluorescent treponemal antibody absorption), Ch 26
 FTI (free thyroxine index), Ch 20
 Functional Activities Questionnaire, Ch 48
 Functional assessment, dementia screening, Ch 48
 Funduscopv
 macular degeneration, Ch 33
 glaucoma, Ch 34
 Gait disorders, falls risk, Ch 58
 Genital herpes simplex, Ch 30
 Genital lesions/ulcerations
 herpes simplex virus, Ch 30
 primary syphilis, Ch 26
 German measles. See Rubella
 Gestational age
 maternal serum -fetoprotein, Ch 42
 ultrasonographic determination, Ch 36
 Gestational diabetes, Ch 19
 GGT (-glutamyl transferase), alcoholism screening, Ch 52
 Gingivitis, Ch 61
 Glaucoma, Ch 34
 Glucose challenge test, gestational diabetes, Ch 19
 Glucose, plasma or blood, Ch 19
 Glucose tolerance test, Ch 19
 Glucosuria, Ch 19
 Glycosylated protein assays, Ch 19
 Gonorrhea, Ch 27. See also Ophthalmia neonatorum
 Grating visual acuity cards, Ch 33
 Growth and developmental patterns, in children. See also Obesity
 iron deficiency anemia, Ch 22
 speech and language, Ch 35
 Guaiac-impregnated cards, Ch 8
 Gums, disease prevention, Ch 61
 Gun possession. See Firearms
 Guthrie test, phenylalanine determination, Ch 44
 Gynecologic cancers. See also specific cancers
 prevention counseling, Ch 64
 Haemophilus influenzae type b disease
 postexposure prophylaxis, Ch 67
 vaccine in childhood, Ch 65
 Harmful drinking, Ch 52
 HATTS (hemagglutination treponemal test for syphilis), Ch 26
 Hazardous drinking, Ch 52
 HBIG (hepatitis B immune globulin)
 postexposure prophylaxis, Ch 67
 prenatal HBsAg testing and, Ch 24
 HBsAg (hepatitis B surface antigen), Ch 24
 HDCV (human diploid cell vaccine). See Rabies
 HDL-C (high-density lipoprotein cholesterol), Ch 2
 Health care workers
 immunizations, Ch 66
 postexposure prophylaxis, Ch 67
 tuberculous infection screening, Ch 25
 Health examination, age-specific, Ch iii
 Hearing aids, Ch 35
 Hearing impairment, Ch 35
 Hemagglutination treponemal test for syphilis, Ch 26
 Hematocrit, Ch 22
 Hematuria, bladder cancer and, Ch 17
 Hemodialysis and hepatitis B, Ch 24
 Hemoglobin
 electrophoresis, Ch 43
 glycosylated, Ch 19
 iron deficiency anemia and, Ch 22

- Hemoglobin E trait, Ch 43
Hemoglobinopathies, Ch 43
Hemoglobin S, Ch 43
Hemolytic disease, D incompatibility, Ch 38
Hepatitis A
 immunization against
 adult, Ch 66
 childhood, Ch 65
 postexposure prophylaxis, Ch 67
Hepatitis B, Ch 24
 postexposure prophylaxis, Ch 24, Ch 67
 risks, Ch 24
 sexual transmission, Ch 62
 vaccine. See Hepatitis B vaccine
Hepatitis B core antigen antibody (anti-HBc), Ch 24
Hepatitis B immune globulin, Ch 24, Ch 67
Hepatitis B surface antigen (HBsAg), Ch 24
Hepatitis B vaccine
 immunization
 adult, Ch 66
 childhood, Ch 65
 HIV infection and, Ch 28
 in infancy, Ch 24
 postexposure prophylaxis, Ch 24, Ch 67
 prevaccination screening, Ch 24
Hepatitis delta virus, Ch 66
Hereditary nonpolyposis colorectal cancer, Ch 8
Hereditary ovarian cancer syndrome, Ch 14
Heroin, Ch 53. See also Drug abuse; Injection drug users
Herpes simplex virus
 congenital hearing loss, Ch 35
 genital, Ch 30, Ch 62
Hib vaccine, Ch 65
High blood cholesterol, Ch 2. See also Cholesterol; Lipid abnormalities
High blood pressure. See Hypertension
High-density lipoprotein cholesterol (HDL-C), Ch 2
High performance liquid chromatography, Ch 43
High-risk register, Ch 35
HI (hemagglutination-inhibition) antibody, Ch 32
Hip fractures. See Fractures
Hip protectors, Ch 58
HIV. See Human immunodeficiency virus
Holter monitoring, Ch 1
Homeless persons
 HIV infection, Ch 28
 tuberculous infection, Ch 25
Home uterine activity monitoring, Ch 40
Homicide, Ch 51, Ch 59
Hormonal therapy, postmenopausal, Ch 68. See also Estrogen
Household injuries, prevention counseling, Ch 58. See also Injuries
HPV (human papilloma virus), Ch 9, Ch 62, Ch 64
HRIG (human rabies immune globulin), Ch 67
HSV. See Herpes simplex virus
HUAM (home uterine activity monitoring), Ch 40
Human chorionic gonadotropin
 Down syndrome, Ch 41
 testicular cancer, Ch 13
Human diploid cell vaccine. See Rabies
Human immunodeficiency virus, Ch 28
 cervical cancer, Ch 9
 dementia, Ch 48
 D immunoglobulin, Ch 38
 gonorrhea co-infection, Ch 27
 illicit drug use. See Injection drug users
 oral cancer, Ch 16
 prevention counseling, Ch 62
 syphilis co-infection, Ch 26
 tuberculous co-infection, Ch 25
Human papilloma virus, Ch 9, Ch 62, Ch 64
Human rabies immune globulin, Ch 67
Hydrops, fetal or neonatal
 D incompatibility, Ch 38
 preeclampsia/eclampsia, Ch 37
Hypercholesterolemia. See Cholesterol
Hyperglycemia. See Diabetes mellitus
Hyperphenylalaninemia, maternal, Ch 44
Hypertension, Ch 3
 abdominal aortic aneurysm, Ch 6
 asymptomatic bacteriuria, Ch 31
 carotid artery stenosis, Ch 4
 coronary heart disease, Ch 1
 elevated lead levels, Ch 23
 exercise benefits, Ch 55
 gestational diabetes, Ch 19
 glaucoma, Ch 34
 high blood cholesterol, Ch 2
 obesity, Ch 21
 ocular, Ch 34
 peripheral arterial disease, Ch 5
 pregnancy-associated aspirin prophylaxis trials, Ch 70
 preeclampsia. See Preeclampsia/eclampsia
 urinary tract abnormalities in infants and children, Ch 31
 vascular dementia, Ch 48
Hyperthyroidism, Ch 20
Hypertrophy, benign prostatic, Ch 10

- Hypothyroidism, Ch 20
congenital, Ch 45
dementia and, Ch 48
Down syndrome and, Ch 20
- Hypoxia, intrauterine, Ch 39
preeclampsia and, Ch 37
- IDUs. See *Injection drug users*
- IFA (immunofluorescence assay), HIV infection screening, Ch 28
- IgA. See *Immunoglobulin A*
- IGT (impaired glucose tolerance), Ch 19
- Illicit drugs, Ch 53. See also *Drug abuse*
- Immigrants
hepatitis B infection, Ch 24
HIV infection, Ch 28
iron deficiency anemia, Ch 22
tuberculous infection, Ch 25
- Immune globulin
against hepatitis A, Ch 66, Ch 67
against hepatitis B, Ch 24, Ch 66, Ch 67
against rabies, Ch 67
against tetanus, Ch 67
- Immunizations. See also *Vaccines*
adult, Ch 66
childhood, Ch 65
postexposure prophylaxis, Ch 67
- Immunoassay. See *Enzyme immunoassay; Radioimmune assay*
- Immunofluorescence assay, HIV infection screening, Ch 28
- Immunoglobulin A, HIV infection screening in infants, Ch 28
- Immunoglobulin D, Ch 38
- Impaired glucose tolerance (IGT), Ch 19
- Inclinometer, adolescent idiopathic scoliosis screening, Ch 47
- Indirect antiglobulin test, Ch 38
- Induced abortion
chlamydial infection, Ch 29
complications, Ch 41, Ch 42
Down syndrome and, Ch 41
fetal hemoglobinopathy diagnosis, Ch 43
HIV screening, Ch 28
neural tube defects, Ch 42
sex aneuploidy, Ch 41
ultrasound examination and, Ch 36
- Infants. See also *Children; Newborns*
asymptomatic bacteriuria, Ch 31
BCG vaccine, Ch 25
breast feeding, Ch 56
chlamydial infection, Ch 29. See also *Ophthalmia neonatorum*
congenital syphilis, Ch 26
feeding practices, dental caries and, Ch 61
hearing impairment, Ch 35
- hemoglobinopathies, Ch 43
- HIV infection, Ch 28
- phenylketonuria, Ch 44
- scoliosis, Ch 47
- sickle cell disease, pneumococcal septicemia and, Ch 43
- Infant safety seats, Ch 57
- Infectious diseases. See also specific infections
immunizations
adult, Ch 66
childhood Ch 65
postexposure prophylaxis, Ch 67
sexually transmitted diseases, Ch 62
- Infertility
chlamydial infection, Ch 29
gonorrhea, Ch 27
- Influenza A
immunization against, Ch 66
postexposure prophylaxis, Ch 66
- Influenza vaccine, Ch 66
for children and adolescents, Ch 65
HIV infection and, Ch 28
- Informed consent, HIV infection screening, Ch 28
- Inhalants, use by children and adolescents, Ch 53
- INH prophylaxis. See *isoniazid chemoprophylaxis*
- Injectable drugs. See *Injection drug users*
- Injection drug users
counseling, Ch 53
hepatitis B, Ch 24
HIV infection, Ch 28
risk reduction, Ch 53
sexually transmitted diseases, Ch 62
syphilis, Ch 26
tuberculous infection, Ch 25
- Injuries
Alzheimer's disease and, Ch 48
in elderly persons, Ch 58
exercise-related, Ch 55
family violence screening and, Ch 51
household and recreational, Ch 58
motor vehicle, Ch 57
osteoporosis prophylaxis, Ch 46, Ch 58
pedestrian, Ch 57
prevention counseling, Ch 57–Ch 59
suicide risk, Ch 50
violent, Ch 51, Ch 59
- Institutionalized persons. See *Correctional institutions; Long-term care facilities*
- Instrumental Activities of Daily Living, Ch 48
- Insulin-dependent diabetes mellitus (Type I), Ch 19. See also *Diabetes mellitus*

- Interobserver variation, Ch ii
Intervention effectiveness, Ch ii
Interventions. See *Counseling interventions; Preventive interventions, recommendations for*
Intraobserver variation, Ch ii
Intraocular pressure, glaucoma and, Ch 34
Intrapartum electronic fetal monitoring, Ch 39
Intrauterine devices (IUDs), Ch 63
Intrauterine growth retardation
 aspirin prophylaxis trials, Ch 70
 maternal serum -fetoprotein, Ch 42
 ultrasonographic detection, Ch 36
Intravenous drug user. See *Drug abuse; Injection drug users*
Intravenous pyelography, bladder cancer and, Ch 17
IPV vaccine, Ch 65
Ipecac, syrup of, Ch 58
Iron
 in healthy diet, Ch 56
 iron deficiency anemia and, Ch 22
Iron deficiency anemia, Ch 22
 elevated lead levels and, Ch 23
 prevention and treatment. See under Iron prophylaxis
Iron prophylaxis, Ch 22, Ch 56
Ischemic heart disease. See *Coronary heart disease*
Isoimmunization. See *D incompatibility*
Isoniazid chemoprophylaxis, Ch 25
IUD (intrauterine device), Ch 63

Karyotyping, Down syndrome diagnosis, Ch 41

Kidney. See *Renal entries*

Labor
 fetal monitoring during, Ch 39
 preterm. See *Home uterine activity monitoring; Premature birth*
Landolt C acuity test, Ch 33
Language development, hearing impairment and, Ch 35
Latex agglutination, rubella susceptibility screening, Ch 32
Lazy eye, Ch 33
LCR. See *Ligase chain reaction*
LDL-C. See *Low-density lipoprotein cholesterol*
LE. See *Leukocyte esterase*
Lead, elevated blood levels, Ch 23
Lead-time bias, screening test, Ch ii
Length bias, screening test, Ch ii
Leukocyte esterase
 asymptomatic bacteriuria screening, Ch 31
 chlamydial infection screening, Ch 29
 gonorrhea screening, Ch 27
Leukoplakia, oral cancer and, Ch 16
Ligase chain reaction
 chlamydial infection screening, Ch 29
 gonorrhea screening, Ch 27
Lip cancer, Ch 16
Lipid abnormalities, Ch 2. See also *Cholesterol*
 carotid atherosclerosis, Ch 4
 coronary heart disease, Ch 1
 peripheral arterial disease, Ch 5
 postmenopausal hormone prophylaxis, Ch 68
Liver. See *Hepatitis entries*
Long-bone length, Down syndrome, Ch 41
Long-term care facilities, residents
 asymptomatic bacteriuria in, Ch 31
 dementia in, Ch 48
 hepatitis B infection in, Ch 24
 injuries in, Ch 58
 tuberculous infection screening in, Ch 25
 visual impairment in, Ch 33
Low back pain, prevention counseling, Ch 60
Low birth weight
 chlamydial infection, Ch 29
 congenital hearing loss, Ch 35
 gonorrhea, Ch 27
 home uterine activity monitoring, Ch 40
 iron deficiency anemia, Ch 22
 maternal bacteriuria, Ch 31
 maternal hemoglobin levels, Ch 22
 maternal serum -fetoprotein, Ch 42
 phenylketonuria, Ch 44
 preeclampsia, Ch 37
Low-density lipoprotein cholesterol. See also *Cholesterol*
 carotid atherosclerosis and, Ch 4
Lung cancer, Ch 11

Macular degeneration, age-related, Ch 33
Magnetic resonance imaging
 abdominal aortic aneurysm, Ch 6
 pancreatic cancer, Ch 15
Malignant melanoma, Ch 12
Malnutrition, Ch 56
Mammography, Ch 7
Mantoux test (PPD), Ch 25
Marijuana, Ch 53
MAST (Michigan Alcoholism Screening Test), Ch 52
Maternal serum -fetoprotein
 Down syndrome, Ch 41
 neural tube defects, Ch 42

- Mean arterial pressure, preeclampsia, Ch 37
- Mean cell volume, iron deficiency and, Ch 22
- Mean corpuscular volume, thalassemia screening, Ch 43
- Measles, childhood immunization. See Measles-mumps-rubella vaccine
- Measles-mumps-rubella vaccine adolescent immunization, Ch 32, Ch 65, Ch 66
adult immunization, Ch 66
in childhood, Ch 32, Ch 65
- Mechanical suffocation, prevention counseling, Ch 58
- Medroxyprogesterone acetate, postmenopausal hormone prophylaxis, Ch 68
- Melanoma, malignant, Ch 12
- Meningococcal infection, postexposure prophylaxis, Ch 67
- Meningomyelocele, Ch 42
- Menopause. See Postmenopause period
- Menstruation
hemoglobin levels and, Ch 22
microscopic hematuria and, Ch 17
- Mental health disorders. See also Depression, Suicide
exercise benefits, Ch 55
recognition and treatment, Ch 49, Ch 50
- Mental retardation
congenital hypothyroidism, Ch 45
Down syndrome, Ch 41
infant phenylketonuria, Ch 44
intrapartum electronic fetal monitoring and, Ch 39
- Mental status, dementia screening, Ch 48
- Metabolic disorders. See also Diabetes mellitus; Obesity; Thyroid disease
dementia and, Ch 48
- Methodology, preventive service evaluation, Ch ii
- MHA-TP (microhemagglutination assay for antibodies to *Treponema pallidum*), Ch 26
- Michigan Alcoholism Screening Test, Ch 52
- Microhemagglutination assay for antibodies to *Treponema pallidum*, Ch 26
- Military personnel
hepatitis A vaccine, Ch 66
HIV infection screening, Ch 28
rubella screening and vaccination, Ch 32
- Mini-Mental State Examination, dementia screening, Ch 48
- "Mini-pill," for contraception, Ch 63
- MMR vaccine. See Measles-mumps-rubella vaccine
- Modified Clinical Technique, visual impairment screening, Ch 33
- Moire topography, adolescent idiopathic scoliosis screening, Ch 47
- Moles, skin cancer and, Ch 12
- Mono-Vacc multiple puncture test, Ch 25
- Morbidity/mortality. See individual conditions
- Motor vehicle injuries, Ch 57
dementia and, Ch 48
motorcycle injuries, Ch 57
visual impairment in elderly, and, Ch 33
- MRI. See Magnetic resonance imaging
- Multiple gestations
maternal serum -fetoprotein, Ch 42
preeclampsia/eclampsia, Ch 37
ultrasonographic detection, Ch 36
- Multiple-marker screening. See Serum markers, maternal
- Multiple puncture tests, tuberculous infection screening, Ch 25
- Multivitamins, neural tube defect prophylaxis, Ch 42
- Mycobacterium avium complex (MAC), rifabutin prophylaxis, Ch 28
- Mycobacterium tuberculosis. See Tuberculosis infection
- Myocardial infarction. See also Coronary heart disease
aspirin prophylaxis for, Ch 69
carotid artery stenosis and, Ch 4
- Myopia, glaucoma and, Ch 34
- Negative predictive value, screening test accuracy, Ch ii
- Neisseria gonorrhoeae. See Gonorrhea
- Neisseria meningitidis. See Meningococcal infection, postexposure prophylaxis, Ch 67
- Neoplastic diseases. See specific cancer sites
- Neural tube defects, Ch 42
- Nevi, skin cancer and, Ch 12
- Newborns. See also Infants; Perinatal morbidity/mortality
asymptomatic bacteriuria, Ch 31
breast feeding, Ch 56
chlamydial infection, Ch 29. See also Ophthalmia neonatorum
congenital rubella syndrome, Ch 32
genital herpes simplex, Ch 30
gonorrhea. See also Ophthalmia neonatorum
hearing impairment, Ch 35
hemoglobinopathies, Ch 43

- hepatitis B, Ch 24
HIV infection, Ch 28
hypothyroidism, Ch 45
maternal illicit drug use, Ch 53
phenylketonuria, Ch 44
premature birth. See Premature birth
sickle cell disease, Ch 43
syphilis, Ch 26
visual impairment, Ch 33
Nicotine products, smoking cessation aid, Ch 54
Nitrite testing, asymptomatic bacteriuria screening, Ch 31
Noise-induced hearing impairment, Ch 35
Noncompliance, Ch iv
Non-insulin-dependent diabetes mellitus (Type II), Ch 19. See also Diabetes mellitus
Nuchal fold thickness, Down syndrome and, Ch 41
Nutrition, Ch 56. See also Diet therapy; Weight control
counseling, Ch 56
dental and periodontal disease risk reduction, Ch 61
iron deficiency anemia, Ch 22
lead levels and, Ch 23
neural tube defect prophylaxis, Ch 42
obesity, Ch 21
Nutritional counseling, Ch 56
Nutritional disorders. See Iron deficiency anemia; Obesity
- Obesity, Ch 21
diabetes mellitus, Ch 19
endometrial cancer, Ch 64
exercise benefits, Ch 55
hypertension, Ch 3
low back pain risk, Ch 60
Occupant restraints, motor vehicle injury prevention, Ch 57
Occupational exposures
bladder cancer, Ch 17
lead levels, Ch 23
low back pain risk, Ch 60
oral cancer, Ch 16
Ocular alignment assessment, Ch 33
Ocular hypertension, Ch 34
Ocular misalignment, Ch 33
Ocular prophylaxis, neonatal. See Ophthalmia neonatorum
OGTT (oral glucose tolerance test), Ch 19
Ophthalmia neonatorum
chlamydial infection, Ch 29
gonorrhea, Ch 27
ocular prophylaxis for, Ch 27, Ch 29
- Ophthalmoscopy
glaucoma screening, Ch 34
visual impairment screening, Ch 33
Opiates, Ch 53. See also Drug abuse
OPV vaccine. See Oral polio vaccine
Oral cancer, Ch 16
Oral contraceptives, Ch 63
gynecologic cancer prevention, Ch 64
Oral disease
cancer, Ch 16
prevention counseling, Ch 61
Oral glucose tolerance test, Ch 19
Oral polio vaccine
in childhood, Ch 65
HIV infection and, Ch 28
Oropharyngeal cancer, Ch 16
Orthotic devices
adolescent idiopathic scoliosis, Ch 47
low back pain prevention, Ch 60
Osteoporosis, postmenopausal diet and, Ch 56
estrogen replacement therapy, Ch 68
exercise effects, Ch 55
injury risk, Ch 58
screening for, Ch 46
Otitis media, Ch 35
Otoacoustic emission testing, Ch 35
Otoscopy, Ch 35
Ovarian cancer, Ch 14
colorectal cancer and, Ch 8
obesity and, Ch 21
risk reduction, Ch 64
- Pain, back. See Back pain
Palpation
abdominal aortic aneurysm, Ch 6
oral cancer, Ch 16
ovarian cancer, Ch 14
pancreatic cancer, Ch 15
prostate cancer, Ch 10
of pulse, peripheral arterial disease, Ch 5
testicular cancer, Ch 13
thyroid cancer, Ch 18
Pancreatic cancer, Ch 15
Papanicolaou test
cervical cancer, Ch 9
ovarian cancer, Ch 14
Pap smear. See Papanicolaou test
Partner notification. See Contact tracing
Passive smoking, Ch 54
Patient education, Ch iv. See also Counseling interventions
PCP (Pneumocystis carinii pneumonia), Ch 28
PCR. See Polymerase chain reaction
Pedestrian injuries, prevention counseling, Ch 57

- Peer mediation, Ch 59
- Pelvic examination
- cervical cancer, Ch 9
 - chlamydial infection, Ch 29
 - gonorrhea, Ch 27
 - ovarian cancer, Ch 14
- Pelvic inflammatory disease
- chlamydial infection, Ch 29
 - gonorrhea, Ch 27
- Penicillin prophylaxis in sickle cell disease, Ch 43
- Pentamidine, Ch 28
- Perceived-Benefit-of-Drinking scale, Ch 52
- Perimetry, glaucoma screening, Ch 34
- Perinatal infection transmission
- chlamydial infection, Ch 29
 - genital herpes simplex, Ch 30
 - hepatitis B virus, Ch 24
 - human immunodeficiency virus, Ch 28
- Perinatal morbidity/mortality
- asphyxia, congenital hearing loss and, Ch 35
 - chlamydial infection and, Ch 29
 - chronic hypertension and, Ch 37
 - congenital syphilis, Ch 26
 - D incompatibility, Ch 38
 - fetal distress, Ch 39
 - gestational diabetes, Ch 19
 - home uterine activity monitoring and, Ch 40
 - intrapartum fetal monitoring and, Ch 39
 - maternal bacteriuria, Ch 31
 - maternal hemoglobin levels, Ch 22
 - in multiple gestation, Ch 36
 - neural tube defects, Ch 42
 - preeclampsia, Ch 37
 - premature birth, Ch 40
 - ultrasonography and, Ch 36
- Periodic health examination: age-specific charts, Ch iii
- Periodontal disease
- nutritional factors, Ch 56
 - prevention counseling, Ch 61
- Peripheral arterial disease, Ch 5
- Pertussis, immunization against. See Diphtheria-pertussis-tetanus vaccine
- Pharynx
- cancer, Ch 16
 - gonococcal infection, Ch 27
- Phenylalanine, phenylketonuria and, Ch 44
- Phenylketonuria, Ch 44
- Photon absorptiometry, osteoporosis screening, Ch 46
- Physical activity, Ch 55. See also Exercise
- Physical examination. See also Palpation; Self-examination
- adolescent idiopathic scoliosis, Ch 47
- breast cancer, Ch 7
- family violence injuries, Ch 51
- genital herpes simplex, Ch 30
- oral cancer, Ch 16
- ovarian cancer, Ch 14
- skin cancer, Ch 12
- PID. See Pelvic inflammatory disease
- Plethysmography, peripheral arterial disease, Ch 5
- Pneumococcal disease
- adult immunization, Ch 66
 - childhood immunization, Ch 65
 - sickle cell disease and, Ch 43
- Pneumococcal vaccine
- for adults, Ch 66
 - for children and adolescents, Ch 65
- Pneumocystis carinii pneumonia, Ch 28
- Poisoning(s)
- prevention counseling, Ch 58
 - suicide, Ch 50
- Polio vaccines, Ch 65. See also Oral polio vaccine
- Polymerase chain reaction
- chlamydial infection screening, Ch 29
 - genital herpes simplex screening, Ch 30
 - gonorrhea screening, Ch 27
 - HIV infection screening, Ch 28
 - phenylketonuria prenatal diagnosis, Ch 44
- Polyps, colorectal cancer and, Ch 8
- Polysaccharide (polyribosyl-ribitol phosphate) vaccine, Ch 65
- Positive predictive value, screening test accuracy, Ch ii
- POSIT (Problem Oriented Screening Instrument for Teenagers), Ch 52
- Postexposure prophylaxis
- Haemophilus influenzae type b, Ch 67
 - hepatitis A and B, Ch 67
 - influenza A, Ch 66
 - meningococcal infection, Ch 67
 - rabies, Ch 67
 - tetanus, Ch 67
- Postmenopausal hormone prophylaxis, Ch 68
- Postmenopause period
- blood cholesterol elevation, Ch 2
 - breast cancer screening, Ch 7
 - hormone prophylaxis, Ch 68
 - osteoporosis. See Osteoporosis, postmenopausal
 - ovarian cancer screening, Ch 14
 - thyroid dysfunction, Ch 20
- Postpartum period
- D incompatibility prophylaxis, Ch 38
 - thyroid dysfunction, Ch 20

- Povidone-iodine. See *Ophthalmia neonatorum*
- PPD (tuberculin purified protein derivative), Ch 25
- PPV (positive predictive value), Ch ii
- Preeclampsia/eclampsia, Ch 37
- aspirin prophylaxis, Ch 70
 - childhood asymptomatic bacteriuria and, Ch 31
 - diabetes mellitus and, Ch 19
- Preferential looking, Ch 33
- Pregnancy
- alcohol use during, Ch 52
 - aspirin prophylaxis in, Ch 70
 - asymptomatic bacteriuria and, Ch 31
 - back pain, Ch 60
 - chlamydial infection and, Ch 29
 - D incompatibility, Ch 38
 - Down Syndrome, Ch 41
 - drug abuse. See *Drug abuse*
 - elevated lead levels and, Ch 23
 - genital herpes simplex and, Ch 30
 - gestational diabetes mellitus, Ch 19
 - gonorrhea and, Ch 27
 - hemoglobinopathies, Ch 43
 - hepatitis B and, Ch 24
 - HIV infection and, Ch 28
 - home uterine activity monitoring, Ch 40
 - intrapartum fetal monitoring, Ch 39
 - iron deficiency anemia and, Ch 22
 - neural tube defects, Ch 42
 - nutritional needs in, Ch 56
 - phenylketonuria, Ch 44
 - preeclampsia, Ch 37
 - rubella and, Ch 32
 - syphilis and, Ch 26
 - thyroid dysfunction and, Ch 20
 - ultrasonography in. See under *Ultrasonography*
 - unintended, Ch 63
- Premature birth
- chlamydial infection, Ch 29
 - hearing impairment, Ch 35
 - home uterine activity monitoring, Ch 40
 - maternal bacteriuria and, Ch 31
 - maternal diabetes mellitus and, Ch 19
 - maternal hemoglobin levels, Ch 22
 - neonatal visual impairment, Ch 33
 - preeclampsia and, Ch 37
- Presbycusis, Ch 35
- Presbyopia, Ch 33
- Preterm labor, Ch 40. See also *Premature birth*
- Preventive interventions, recommendations for
- age-specific charts, Ch iii
- quality of evidence, Appendix A
- rating tables, Appendix A
- Problem drinking, Ch 52. See also *Alcohol consumption*
- Problem Oriented Screening Instrument for Teenagers (POSIT), Ch 52
- Progestin
- contraceptives, Ch 63
 - postmenopausal use, Ch 68
- Prophylaxis. See *Immunizations; Postexposure prophylaxis; Vaccines*
- Prostate cancer, Ch 10
- urinalysis and, Ch 17
- Prostate-specific antigen, Ch 10
- Prostatic acid phosphatase, Ch 10
- Prostitutes
- chlamydial infection, Ch 29
 - gonorrhea screening and, Ch 27
 - HIV infection and, Ch 28
 - syphilis and, Ch 26
- PRP vaccine. See *Polysaccharide (polyribosyl-ribitol phosphate) vaccine*
- PSA (prostate-specific antigen), Ch 10
- Psychological factors
- adolescent idiopathic scoliosis, Ch 47
 - low back pain risk, Ch 60
- Pulmonary diseases. See *Lung cancer; Tuberculosis infection*
- adolescent idiopathic scoliosis and, Ch 47
- Pulse, in peripheral arterial disease, Ch 5
- Questions/questionnaires. See *Screening questions/questionnaires*
- Rabies
- postexposure prophylaxis, Ch 67
 - vaccination, Ch 67
- Radiation exposure
- adolescent idiopathic scoliosis screening, Ch 47
 - breast cancer and, Ch 7
 - solar
 - oral cancer and, Ch 16
 - skin cancer and, Ch 12
 - thyroid cancer and, Ch 18
- Radiography
- abdominal aortic aneurysm, Ch 6
 - adolescent idiopathic scoliosis, Ch 47
 - chest, lung cancer screening, Ch 11
 - skeletal, osteoporosis screening, Ch 46
- Radioimmune assay
- congenital hypothyroidism screening, Ch 45
 - illicit drug use screening, Ch 53
- Radionuclide imaging, coronary heart disease, Ch 1
- Random Dot E stereogram, Ch 33

- Rape, Ch 51, Ch 59
Rapid plasma reagin test, Ch 26
Ratings tables, Appendix A
Recommendations. See Preventive interventions, recommendations for
Recreational injuries, prevention counseling, Ch 58. See also Injuries
Rectal examination. See Digital rectal examination
Reflux nephropathy, in children, Ch 31
Refractive errors, Ch ii
Relative risk, Ch ii
Reliability, screening test, Ch ii
Renal cancer, Ch 17
Renal scarring, asymptomatic bacteriuria and, Ch 31
13-cis-Retinoic acid, oral cancer and, Ch 16
Rh incompatibility, Ch 38
Rhythm method, for contraception, Ch 63
RIA. See Radioimmune assay
Rifampin prophylaxis
Haemophilus influenzae type b disease, Ch 67
meningococcal infection, Ch 67
tuberculous infection, Ch 25
Rimantadine, Ch 66
RPR (rapid plasma reagin) test, Ch 26
RU 486, Ch 63
Rubella, Ch 32. See also Measles-mumps-rubella vaccine
congenital hearing loss, Ch 35
neonatal visual impairment, Ch 33
RVA (rabies vaccine, adsorbed). See Rabies
- Safety. See Injuries
Safety belts, Ch 57
Safety helmets
bicycle and ATV, Ch 58
motorcycle, Ch 57
Scald burns, Ch 58
Scalp blood sampling, intrapartum monitoring, Ch 39
Schiotz tonometry, Ch 34
School programs
anti-tobacco, Ch 54
pedestrian skills, Ch 57
scoliosis screening, Ch 47
sex and HIV education, Ch 62
unintended pregnancy, Ch 63
vision screening, Ch 33
Scoliosis, adolescent idiopathic, Ch 47
Screening questions/questionnaires
dementia, Ch 48
drug abuse, Ch 53
- family violence, Ch 51
hearing impairment, Ch 35
lead levels, Ch 23
major depressive disorder, Ch 49
problem drinking, Ch 52
suicide risk, Ch 50
visual impairment, Ch 33
Screening tests, accuracy, Ch ii
Seat belts, Ch 57
Selection bias, Ch ii
Self-examination
breast, Ch 7
skin, Ch 12
testes, Ch 13
Self-palpation, premature birth screening, Ch 40
Self-Rating Depression Scale, Ch 49
Sensitivity, screening test, Ch ii
Sensorineural hearing deficits, Ch 35
Serologic testing
genital herpes simplex, Ch 30
rubella susceptibility screening, Ch 32
syphilis, Ch 26
Serum ferritin, Ch 22
Serum iron, Ch 22
Serum markers, maternal
Down syndrome, Ch 41
fetoprotein, Ch 42
multiple-marker screening, Ch 41
Serum thyroxine. See Thyroxine
Serum tumor markers
lung cancer, Ch 11
ovarian cancer, Ch 14
pancreatic cancer, Ch 15
prostate cancer, Ch 10
testicular cancer, Ch 13
Sex education, Ch 63
Sexual abstinence, Ch 63
genital herpes simplex and, Ch 30
sexually transmitted diseases and, Ch 62
Sexual abuse, Ch 51
Sexual activity
cervical cancer, Ch 9, Ch 64
chlamydial infection, Ch 29
genital herpes simplex, Ch 30
gonococcal infections and, Ch 27
hepatitis B risk, Ch 24
HIV screening and, Ch 28
partner notification. See Contact tracing
sexually transmitted disease and, Ch 62
syphilis screening and, Ch 26
unintended pregnancy, Ch 63
Sexually transmitted diseases (STDs), prevention counseling, Ch 62. See also specific diseases
Sickle cell disease, Ch 43

- Sigmoidoscopy, Ch 8
Silver nitrate. See *Ophthalmia neonatorum*
Single photon absorptiometry, Ch 46
Skin cancer, Ch 12
Skinfold thickness, obesity screening, Ch 21
Slit-lamp examination, Ch 34
Smoke detectors, Ch 58
Smokeless tobacco, Ch 54. See also *Tobacco use*
Smoking, Ch 54. See also *Tobacco use*
Snellen visual acuity chart, Ch 33
Socioeconomic status, low
 cervical cancer, Ch 9
 chlamydial infection, Ch 29
 elevated lead levels, Ch 23
 gonococcal infections, Ch 27
 HIV infection, Ch 28
 iron deficiency anemia, Ch 22
 tuberculous infection, Ch 25
Sodium, dietary, Ch 56
Sonography. See *Ultrasonography*
Specificity, screening test, Ch ii
Speech and language development, hearing impairment and, Ch 35
Spermicides
 contraceptive method, Ch 63
 sexually transmitted diseases and, Ch 62
Sphygmomanometry
 blood pressure screening, Ch 3
 preeclampsia/eclampsia, Ch 37
Spina bifida, Ch 42
Spouse abuse, Ch 51
Sputum cytology, lung cancer, Ch 11
Squamous cell carcinoma, Ch 12
STDs (sexually transmitted diseases), Ch 62
Stereoacuity testing, Ch 33
Stereoscopic photographs, glaucoma screening, Ch 34
Sterilization
 female. See *Tubal ligation*
 male, Ch 63
Stool guaiac, Ch 8
Strabismus, Ch 33
Streptococcus pneumoniae. *Pneumococcal disease*
Stroke. See *Cerebrovascular disease*
Subdermal implants, contraceptive method, Ch 63
Substance abuse. See *Alcohol consumption; Drug abuse*
Suffocation, prevention counseling, Ch 58
Suicide, Ch 50
 depression and, Ch 49
Sun exposure. See *Radiation, solar*
Sunscreens, Ch 12
Syphilis, Ch 26
 congenital hearing loss and, Ch 35
 dementia and, Ch 48
 gonorrhea co-infection, Ch 27
 HIV co-infection, Ch 26
T4. See *Thyroxine*
Tacrine, Ch 48
Tanning ability, skin cancer and, Ch 12
Tanning facilities, skin cancer and, Ch 12
Td (tetanus-diphtheria) vaccine, Ch 66
 tetanus postexposure prophylaxis, Ch 67
Teenagers. See *Adolescents*
Teeth. See *Dental disease*
Teratogenic risk
 acyclovir therapy for herpes simplex virus, Ch 30
 maternal hyperphenylalaninemia, Ch 44
 rubella vaccine, Ch 32
Testicular cancer, Ch 13
Tetanus
 adult immunization, Ch 66
 childhood immunization. See *Diphtheria-pertussis-tetanus vaccine*
 postexposure prophylaxis, Ch 67
Tetanus-diphtheria (Td) vaccine, Ch 66
Tetanus immune globulin, Ch 67
Tetracycline, ocular prophylaxis, Ch 27, Ch 29
Tetrahydroaminoacridine, Ch 48
Thalassemias, Ch 43
Thallium-201 scintigraphy, Ch 1
Thermography, Ch 4
Thin-layer chromatography, Ch 53
Thin-layer isoelectric focusing, hemoglobinopathy screening, Ch 43
Thyroid antibodies, thyroid autoimmunity and, Ch 20
Thyroid cancer, Ch 18
Thyroid disease, Ch 20
 cancer, Ch 18
 hypothyroidism. See *Hypothyroidism*
Thyroid function tests, Ch 20
Thyroid-stimulating hormone
 congenital hypothyroidism, Ch 45
 thyroid disease/dysfunction, Ch 20
Thyrotropin-releasing hormone tests, Ch 20
Thyroxine
 congenital hypothyroidism and, Ch 45
 thyroid dysfunction and, Ch 20
TIAs (transient ischemic attacks), Ch 4
Ticlopidine prophylaxis, Ch 4

- Tine multiple puncture test, Ch 25
TLC (thin-layer chromatography), Ch 53
TMP-SMX (trimethoprim-sulfamethoxazole) prophylaxis, Ch 28
Tobacco use, Ch 54
 abdominal aortic aneurysm, Ch 6
 bladder cancer, Ch 17
 blood cholesterol and, Ch 2
 carotid artery stenosis, Ch 4
 cervical cancer, Ch 9, Ch 64
 cessation, Ch 54
 coronary heart disease, Ch 1
 dental and periodontal disease, Ch 61
 hypertension, Ch 3
 injury risk related to, Ch 58
 low back pain risk, Ch 60
 lung cancer, Ch 11
 oral cancer, Ch 16
 pancreatic cancer, Ch 15
 peripheral arterial disease, Ch 5
 postmenopausal osteoporosis, Ch 46
 premature birth, Ch 40
 prevention counseling, Ch 54
Tocodynamometry, Ch 40
Tolonium chloride rinses, Ch 16
Tongue cancer, Ch 16
Tonometry, glaucoma screening, Ch 34
Tooth brushing, Ch 61
Total-body skin examination, Ch 12
Total iron binding capacity, Ch 22
Toxemia of pregnancy. See Preeclampsia/eclampsia
Toxoplasmosis
 congenital hearing loss, Ch 35
 HIV infection and, Ch 28
 neonatal visual impairment, Ch 33
Transferrin saturation, iron deficiency and, Ch 22
Transient ischemic attacks, Ch 4
Transrectal ultrasound (TRUS), Ch 10
Transvaginal color-flow Doppler ultrasound, Ch 14
Treatment efficacy, screening test evaluation, Ch ii
Treponema pallidum. See Syphilis
Triglycerides, serum, Ch 2
Trimethoprim-sulfamethoxazole prophylaxis, Ch 28
Trisomy-21. See Down syndrome
TSH. See Thyroid-stimulating hormone
Tubal ligation, Ch 63
 ovarian cancer risk reduction, Ch 64
Tuberculin purified protein derivative (PPD), Ch 25
Tuberculin skin testing, Ch 25
Tuberculous infection, Ch 25
 BCG vaccine and, Ch 25
 HIV co-infection, Ch 28
Tumbling E acuity test, Ch 33
Tumor markers. See Serum tumor markers
Tuning fork, hearing impairment screening, Ch 35
Tympanometry, Ch 35
Ultrasonography
 abdominal aortic aneurysm, Ch 6
 carotid artery stenosis, Ch 4
 Doppler. See Doppler ultrasound
 osteoporosis, Ch 46
 ovarian cancer, Ch 14
 pancreatic cancer, Ch 15
 peripheral arterial disease, Ch 5
 in pregnancy, Ch 36
 Down syndrome, Ch 41
 gestational age, Ch 41
 isoimmunization and, Ch 38
 neural tube defects, Ch 42
 prostate cancer, Ch 10
 thyroid cancer, Ch 18
Unconjugated estriol, Down syndrome and, Ch 41
Unintended pregnancy, counseling to prevent, Ch 63
Unintentional injuries. See also Injuries
 household and recreational, Ch 58
 motor vehicle, Ch 57
Urethral culture
 chlamydial infection screening, Ch 29
 gonorrhea screening, Ch 27
Urinalysis
 asymptomatic bacteriuria, Ch 31
 bladder cancer, Ch 17
 chlamydial infection, Ch 29
 diabetes mellitus, Ch 19
 gonorrhea, Ch 27
 illicit drug use, Ch 53
 preeclampsia, Ch 37
 in pregnancy, Ch 31
Urinary leukocyte esterase
 asymptomatic bacteriuria screening, Ch 31
 chlamydial infection screening, Ch 29
 gonorrhea screening, Ch 27
Urinary tract infection, Ch 31
Urine culture, asymptomatic bacteriuria, Ch 31
Urologic cancers. See Bladder cancer; Prostate cancer; Renal cancer
U.S. Preventive Services Task Force findings, principal, Ch i
 members, Ch i
 periodic health examination: age-specific charts, Ch iii
 recommendations
 evaluation methodology, Ch ii
 ratings, Appendix A

- Uterine activity monitoring. See *Home uterine activity monitoring*
- Vaccination history, rubella susceptibility screening, Ch 32
- Vaccines
- diphtheria-pertussis-tetanus, Ch 65
 - Haemophilus influenzae type b, Ch 65
 - hepatitis A, Ch 66, Ch 67
 - in childhood, Ch 65
 - hepatitis B, Ch 66, Ch 67
 - in childhood, Ch 65
 - influenza, Ch 66
 - meningococcal, Ch 67
 - MMR. See *Measles-mumps-rubella vaccine*
 - pneumococcal, Ch 66
 - in childhood, Ch 65
 - polio, Ch 65
 - HIV infection and, Ch 28
 - rabies, Ch 67
 - rubella, Ch 32
 - Td series, Ch 66, Ch 67
 - tetanus, Ch 67
 - varicella, Ch 65
 - in adulthood, Ch 66
- Vaginal sponge, Ch 62, Ch 63
- Value, cost/cost-effectiveness analysis and, Ch v
- Varicella vaccine, Ch 65
 - in adulthood, Ch 66
- Varicella-zoster virus, immunization against. See *Varicella vaccine*
- Vascular disease. See *Cardiovascular diseases*
- Vasectomy, Ch 63
- VDRL (Venereal Disease Research Laboratory) test, Ch 26
- Vehicle injuries, prevention counseling, Ch 57
- Venereal Disease Research Laboratory (VDRL) test, Ch 26
- Vertical transmission of infection. See *Prenatal infection transmission*
- Violence
 - within family, Ch 51
 - youth prevention counseling, Ch 59
- Viral culture
 - genital herpes simplex, Ch 30
 - human immunodeficiency virus, Ch 28
- Visual acuity assessment. See *Visual impairment*
- Visual field examination, glaucoma screening, Ch 34
- Visual impairment, Ch 33. See also *Blindness; Glaucoma*
 - cataracts, Ch 33
 - genital herpes simplex and, Ch 30
 - hip fracture risk factor, Ch 58
- Vitamin B₁₂
 - dementia and, Ch 48
 - folic acid masking, Ch 42
 - neural tube defect prophylaxis, Ch 42
- Vitamin C, cervical cancer risk reduction, Ch 64
- Vitamin D, osteoporosis prophylaxis, Ch 46
- Waist/hip circumference ratio, obesity screening, Ch 21
- Water fluoridation, Ch 61
- Weight control
 - antihypertensive therapy, Ch 3
 - counseling for, Ch 21
 - diabetes mellitus, Ch 19
 - diet, healthy, Ch 56
 - high blood cholesterol, Ch 2
 - obesity, Ch 21
 - peripheral arterial disease, Ch 5
- Weight measurement, Ch 21
- Western blot analysis, HIV infection screening, Ch 28
- Whispered voice testing, Ch 35
- Whooping cough, childhood immunization. See *Diphtheria-pertussis-tetanus vaccine*
- Withdrawal method, for contraception, Ch 63
- X-ray. See *Radiography*
- Young adults. See *Adolescents and young adults*
- Youth violence, prevention counseling, Ch 59
- ZDV (zidovudine), Ch 28
- Zinc protoporphyrin levels, Ch 23
- Zung Self-Rating Depression Scale, Ch 49

